SUPPLEMENTARY CATALOGUE
OF THE
BRANFORD
LOCK WORKS

MANUFACTORY:
BRANFORD, CONN., U. S. A.

Salesroom—103 Chambers Street, New York.

SEPTEMBER 10, 1881.

AGENCIES:

LLOYD, SUPPLEE & WALTON, Philadelphia, Pa.
S. G. B. COOK & CO., Baltimore, Md.
B. CALLENDER & CO., Boston, Mass.
GORDON HARDWARE CO., San Francisco, Cal.

All BRONZE METAL Goods manufactured by us are finished regular LIGHT BRONZE, UNLESS OTHERWISE ORDERED. We furnish the same in the following styles of finish: when ordering please state the number of finish wanted.

NO. OF FINISH.

No. 1, ALL LIGHT FINISH.

No. 2, ALL DARK FINISH.

No. 3, STATUARY FINISH (LIGHT SURFACE, BLACK BACKGROUND).

125

SUPPLEMENTARY CATALOGUE
OF THE
BRANFORD
LOCK WORKS

MANUFACTORY:
BRANFORD, CONN., U. S. A.

Salesroom—103 Chambers Street, New York.

1881.

AGENCIES:

LLOYD, SUPPLEE & WALTON, Philadelphia, Pa.
S. G. B. COOK & CO., Baltimore, Md.
B. CALLENDER & CO., Boston, Mass.
GORDON HARDWARE CO., San Francisco, Cal.

TO THE TRADE.

We would call Special Attention to the New Style of
ORIENTAL Genuine Bronze Metal Goods.

With these Goods a Building can be Furnished Complete, and have all the Hardware of
one and the same Design.

NEW GOODS.

The following have been added to our
assortment since the issue of our
1879 Illustrated Catalogue.

Destroy Supplements of July 1, 1879, and March 1, 1880.

Full Size Cut of No. 994. $2\frac{3}{4}$ in.

Full Size Cut of 990. 2 in.

Full Size Cut of 992. $2\frac{1}{2}$ in.

FLAT STEEL KEYED ORNAMENTAL PADLOCKS

ORNAMENTED IRON BRONZED CASES.

SPRING SHACKLE.

NO.	SIZE.	DESCRIPTION.
990	2 in.	Spring Shackle, Flat Steel Key, 12 Changes, 1 Key.
990½	2 in.	Spring Shackle, Flat Steel Key, 12 Changes, 2 Keys.
992	2½ in.	Spring Shackle, Flat Steel Key, 12 Changes, 1 Key.
992½	2½ in.	Spring Shackle, Flat Steel Key, 12 Changes, 2 Keys.
994	2¾ in.	Spring Shackle, Flat Steel Key, 12 Changes, 1 Key.
994½	2¾ in.	Spring Shackle, Flat Steel Key, 12 Changes, 2 Keys.

These Locks are equal in every respect to Wrought Iron Padlocks, and at a much lower price.

UPRIGHT RIM KNOB LOCKS

JANUS FACED.

TO REVERSE THE LATCH, TAKE OFF THE CAP.

Full Size Cut of Nos. 980, 982 and 984.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

UPRIGHT RIM KNOB LOCKS

JANUS FACED.

TO REVERSE THE LATCH, TAKE OFF THE CAP.

NO.	SIZE.	DESCRIPTION.
980	3½ × 2	Iron Bolts, Malleable Iron Key, 1 Tumbler.
982	3½ × 2	Iron Bolts, Brass Key, 1 Tumbler.
984	3½ × 2	Brass Bolts, Brass Key, 1 Tumbler.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

UPRIGHT RIM KNOB LOCKS

JANUS FACED.

TO REVERSE THE LATCH, TAKE OFF THE CAP.

Full Size Cut of Nos. 962, 963, 962 $\frac{1}{4}$ and 963 $\frac{1}{4}$.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

UPRIGHT RIM KNOB LOCKS

JANUS FACED.

TO REVERSE THE LATCH, TAKE OFF THE CAP.

WITHOUT STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
962	$4\frac{1}{4} \times 3\frac{1}{2}$	Iron Bolts, Malleable Iron Key, 1 Tumbler.
963	$4\frac{1}{4} \times 3\frac{1}{2}$	Iron Bolts, Brass Key, 1 Tumbler.

WITH STOP ON LATCH.

962 $\frac{1}{4}$	$4\frac{1}{4} \times 3\frac{1}{2}$	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
963 $\frac{1}{4}$	$4\frac{1}{4} \times 3\frac{1}{2}$	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 1985¼, 1986¼, 1990¼, 1995¼, 1996¼, 2730, 2732, 2733 and 2738.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITHOUT STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
1990	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Malleable Iron Key, 1 Tumbler.
1995	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Brass Key, 1 Tumbler.
1985	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Tinned Steel Key, 1 Tumbler.
1996	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Brass Key, 1 Tumbler.
1986	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Tinned Steel Key, 1 Tumbler.

WITH STOP ON LATCH.

1990 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
1995 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
1985 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.
1996 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
1986 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.

WITH WROUGHT IRON RACK TUMBLERS.

WITH STOP ON LATCH.

2732	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
2738	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2733	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
2730	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

Full Size Cut of Nos. 2985¼, 2986¼, 2990¼, 2995¼, 2996¼, 3730, 3732, 3733 and 3738.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITHOUT STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
2990	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Malleable Iron Key, 1 Tumbler.
2995	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Brass Key, 1 Tumbler.
2985	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Tinned Steel Key, 1 Tumbler.
2996	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Brass Key, 1 Tumbler.
2986	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Tinned Steel Key, 1 Tumbler.

WITH STOP ON LATCH.

2990 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
2995 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2985 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Iron Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.
2996 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2986 $\frac{1}{4}$	$4\frac{1}{8} \times 3\frac{1}{4}$	Brass Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.

WITH WROUGHT IRON RACK TUMBLERS.

WITH STOP ON LATCH.

3732	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
3738	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
3733	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
3730	$4\frac{1}{8} \times 3\frac{1}{4}$	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 1985½, 1986½, 1990½, 1995½, 1996½, 2730½, 2732½, 2733½ and 2738½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
1990½	4⅛ × 3¼	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
1995½	4⅛ × 3¼	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
1985½	4⅛ × 3¼	Iron Bolts, Tinned Steel Key, 1 Tumbler, Iron Slide Bolt.
1996½	4⅛ × 3¼	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
1986½	4⅛ × 3¼	Brass Bolts, Tinned Steel Key, 1 Tumbler, Brass Slide Bolt.

WITH WROUGHT IRON RACK TUMBLERS.

WITH SLIDE BOLT.

2732½	4⅛ × 3¼	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
2738½	4⅛ × 3¼	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
2733½	4⅛ × 3¼	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
2730½	4⅛ × 3¼	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 2985½, 2986½, 2990½, 2995½, 2996½, 3730½, 3732½, 3733½ and 3738½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
2990½	4⅛ × 3¼	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
2995½	4⅛ × 3¼	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
2985½	4⅛ × 3¼	Iron Bolts, Tinned Steel Key, 1 Tumbler, Iron Slide Bolt.
2996½	4⅛ × 3¼	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
2986½	4⅛ × 3¼	Brass Bolts, Tinned Steel Key, 1 Tumbler, Brass Slide Bolt.

WITH WROUGHT IRON RACK TUMBLERS.

WITH SLIDE BOLT.

3732½	4⅛ × 3¼	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt,
3738½	4⅛ × 3¼	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
3733½	4⅛ × 3¼	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
3730½	4⅛ × 3¼	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 1930 $\frac{1}{4}$, 1931 $\frac{1}{4}$, 1932 $\frac{1}{4}$, 1941 $\frac{1}{4}$, 1942 $\frac{1}{4}$, 2630, 2631, 2632, 2633, 2638 and 2639.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITHOUT STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
1930	4½ × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler.
1931	4½ × 3½	Iron Bolts, Brass Key, 1 Tumbler.
1941	4½ × 3½	Iron Bolts, Tinned Steel Key, 1 Tumbler.
1933	4½ × 3½	Brass Bolts, Brass Key, 1 Tumbler.
1942	4½ × 3½	Brass Bolts, Tinned Steel Key, 1 Tumbler.

WITH STOP ON LATCH.

1930¼	4½ × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
1931¼	4½ × 3½	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
1941¼	4½ × 3½	Iron Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.
1932¼	4½ × 3½	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
1942¼	4½ × 3½	Brass Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.

WITH WROUGHT IRON RACK TUMBLERS.

WITH STOP ON LATCH.

2632	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
2638	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2639	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Stop on Latch.
2633	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
2630	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2631	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

Full Size Cut of Nos. 2930 $\frac{1}{4}$, 2931 $\frac{1}{4}$, 2932 $\frac{1}{4}$, 2641 $\frac{1}{4}$, 2942 $\frac{1}{4}$, 4630, 4631, 4632, 4633, 4638 and 4639.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITHOUT STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
2930	4½ × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler.
2931	4½ × 3½	Iron Bolts, Brass Key, 1 Tumbler.
2941	4½ × 3½	Iron Bolts, Tinned Steel Key, 1 Tumbler.
2933	4½ × 3½	Brass Bolts, Brass Key, 1 Tumbler.
2942	4½ × 3½	Brass Bolts, Tinned Steel Key, 1 Tumbler

WITH STOP ON LATCH.

2930¼	4½ × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
2931¼	4½ × 3½	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2941¼	4½ × 3½	Iron Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.
2932¼	4½ × 3½	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2942¼	4½ × 3½	Brass Bolts, Tinned Steel Key, 1 Tumbler, Stop on Latch.

WITH WROUGHT IRON RACK TUMBLERS.

WITH STOP ON LATCH.

4632	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
4638	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
4639	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Stop on Latch.
4633	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
4630	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
4631	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 1930½, 1931½, 1933½, 1941½, 1942½, 2630½, 2631½, 2632½, 2633½, 2638½, 2639½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
1930½	4½ × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
1931½	4½ × 3½	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
1941½	4½ × 3½	Iron Bolts, Tinned Steel Key, 1 Tumbler, Iron Slide Bolt.
1933½	4½ × 3½	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
1942½	4½ × 3½	Brass Bolts, Tinned Steel Key, 1 Tumbler, Brass Slide Bolt.

WITH WROUGHT IRON RACK TUMBLERS.

WITH SLIDE BOLT.

2632½	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
2638½	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
2639½	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Iron Slide Bolt.
2633½	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
2630½	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.
2631½	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 2930½, 2931½, 2933½, 2941½, 2942½, 4630½, 4631½, 4632½, 4633½, 4638½ and 4639½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
2930½	4½ × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
2931½	4½ × 3½	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
2941½	4½ × 3½	Iron Bolts, Tinned Steel Key, 1 Tumbler, Iron Slide Bolt.
2933½	4½ × 3½	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
2942½	4½ × 3½	Brass Bolts, Tinned Steel Key, 1 Tumbler, Brass Slide Bolt.

WITH WROUGHT IRON RACK TUMBLERS.

WITH SLIDE BOLT.

4632½	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
4638½	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
4639½	4½ × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Iron Slide Bolt.
4633½	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
4630½	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.
4631½	4½ × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 1624, 1625, 1626, 1630, 1632 and 1633.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
1624	5 × 3½	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
1625	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Tumbler, Stop on Latch.
1626	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler, Stop on Latch.

WITH WROUGHT IRON RACK TUMBLERS.

WITH STOP ON LATCH.

1630	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 24 Changes, Stop on Latch.
1632	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
1633	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

All the above can be made with Brass Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

Full Size Cut of Nos. 3624, 3625, 3626, 3630, 3632 and 3633.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
3624	5 × 3½	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
3625	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Tumbler, Stop on Latch.
3626	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler, Stop on Latch.

WITH WROUGHT IRON RACK TUMBLERS.

WITH STOP ON LATCH.

3630	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 24 Changes, Stop on Latch.
3632	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
3633	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

All the above can be made with Brass Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 1624½, 1625½, 1626½, 1630½, 1632½ and 1633½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
1624½	5 × 3½	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
1625½	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Tumbler, Iron Slide Bolt.
1626½	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler, Brass Slide Bolt

WITH WROUGHT IRON RACK TUMBLERS.

WITH SLIDE BOLT.

1630½	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 24 Changes, Iron Slide Bolt.
1632½	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
1633½	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

All the above can be made with Brass Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 3624½, 3625½, 3626½, 3630½, 3632½ and 3633½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
3624½	5 × 3½	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
3625½	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Tumbler, Iron Slide Bolt.
3626½	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler, Brass Slide Bolt.

WITH WROUGHT IRON RACK TUMBLERS.

WITH SLIDE BOLT.

3630½	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 24 Changes, Iron Slide Bolt.
3632½	5 × 3½	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
3633½	5 × 3½	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

All the above can be made with Brass Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

Full Size Cut of Nos. 3627, 3628, 3629, 3634, 3635, 3638 and 3639.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
3627	6 × 4	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, 12 Changes, Stop on Latch.
3628	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
3629	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
3634	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
3635	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
3938	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Stop on Latch.
3639	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

WITH SLIDE BOLT.

Full Size Cut of Nos. 3627½, 3628½, 3629½, 3634½, 3635½, 3638½ and 3639½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE UPRIGHT RIM KNOB LOCKS

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

WITH SLIDE BOLT

NO.	SIZE.	DESCRIPTION.
3627½	6 × 4	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, 12 Changes, Iron Slide Bolt.
3628½	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
3629½	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
3634½	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
3635½	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.
3638½	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Iron Slide Bolt.
3639½	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers, 48 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE
FRONT DOOR UPRIGHT RIM KNOB LOCKS
JANUS FACED.
WITH WROUGHT IRON INSIDE WORK.

Full Size Cut of Nos. 3636, 3637, 3646, 3647 and 3648.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE FRONT DOOR UPRIGHT RIM KNOB LOCKS.

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	SIZE.	DESCRIPTION.
3636	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler on Large Key, 3 Wrought Iron Rack Tumblers on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3637	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 3 Wrought Iron Rack Tumblers on Large Key, 3 Wrought Iron Rack Tumblers on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3646	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Tumbler on Large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3647	6 × 4	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler on Large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3648	6 × 4	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Tumbler on Large Key, 3 Wrought Iron Rack Tumblers on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE
FRONT DOOR UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

Full Size Cut of Nos. 3640, 3641, 3642 and 3643.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE
FRONT DOOR UPRIGHT RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON INSIDE WORK.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	SIZE.	DESCRIPTION.
3640	$4\frac{3}{4} \times 3\frac{3}{4}$	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler on Large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3641	$4\frac{3}{4} \times 3\frac{3}{4}$	Heavy Iron Bolts, Nickel Plated Steel Key, 1 Wrought Iron Rack Tumbler on Large Key, 3 Wrought Iron Rack Tumblers on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3642	$4\frac{3}{4} \times 3\frac{3}{4}$	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler on Large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.
3643	$4\frac{3}{4} \times 3\frac{3}{4}$	Heavy Brass Bolts, Nickel Plated Steel Key, 1 Tumbler on Large Key, 3 Wrought Iron Rack Tumblers on Night Key, 2 Nickel Plated Steel Night Keys, Stop on Latch, Ornamental Thumb Knob.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 0865, 0866, 0867, 0966, 0967, 00663, 00664, 00666 and 00667.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
0865	4¼ × 3⅜	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
0866	4¼ × 3⅜	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
0966	4¼ × 3⅜	Same as No. 0866, but with Tinned Steel Key.
0867	4¼ × 3⅜	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
0967	4¼ × 3⅜	Same as No. 0867, but with Tinned Steel Key.

ORNAMENTAL IRON BRONZED CASES.

WROUGHT IRON INSIDE WORK.

00663	4¼ × 3⅜	Iron Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
00664	4¼ × 3⅜	Brass Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
00666	4¼ × 3⅜	Iron Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
00667	4¼ × 3⅜	Brass Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

Full Size Cut of Nos. 2865, 2866, 2867, 2966 and 2967.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
2865	$4\frac{1}{4} \times 3\frac{3}{8}$	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
2866	$4\frac{1}{4} \times 3\frac{3}{8}$	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2966	$4\frac{1}{4} \times 3\frac{3}{8}$	Same as No. 2866, but with Tinned Steel Key.
2867	$4\frac{1}{4} \times 3\frac{3}{8}$	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2967	$4\frac{1}{4} \times 3\frac{3}{8}$	Same as No. 2867, but with Tinned Steel Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 0865½, 0866½, 0867½, 0966½, 0967½, 00663½, 00664½, 00666½ and 00667½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
0865½	4¼ × 3¾	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
0866½	4¼ × 3¾	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
0966½	4¼ × 3¾	Same as No. 0866½, but with Tinned Steel Key.
0867½	4¼ × 3¾	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
0967½	4¼ × 3¾	Same as No. 0867½, but with Tinned Steel Key.

ORNAMENTAL IRON BRONZED CASES.

WROUGHT IRON INSIDE WORK.

00663½	4¼ × 3¾	Iron Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
00664½	4¼ × 3¾	Brass Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
00666½	4¼ × 3¾	Iron Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
00667½	4¼ × 3¾	Brass Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT

Full Size Cut of Nos. 2865½, 2866½, 2867½, 2966½ and 2967½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
2865½	4¼ × 3¾	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
2866½	4¼ × 3¾	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
2966½	4¼ × 3¾	Same as No. 2866½, but with Tinned Steel Key.
2867½	4¼ × 3¾	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
2967½	4¼ × 3¾	Same as No. 2867½, but with Tinned Steel Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 0868, 0870, 0871, 0970, 0971, 00670, 00671, 00674 and 00676.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
0868	5 × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
0870	5 × 3½	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
0970	5 × 3½	Same as No. 0870, but with Tinned Steel Key.
0871	5 × 3½	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
0971	5 × 3½	Same as No. 0871, but with Tinned Steel Key.

ORNAMENTAL IRON BRONZED CASES.

WROUGHT IRON INSIDE WORK.

00670	5 × 3½	Iron Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
00671	5 × 3½	Brass Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
00674	5 × 3½	Iron Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
00676	5 × 3½	Brass Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

Full Size Cut of Nos. 2868, 2870, 2871, 2970 and 2971.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
2868	5 × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
2870	5 × 3½	Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2970	5 × 3½	Same as No. 2870, but with Tinned Steel Key.
2871	5 × 3½	Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2971	5 × 3½	Same as No. 2871, but with Tinned Steel Key.
2874	5 × 3½	Iron Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2974	5 × 3½	Same as No. 2874, but with Nickel Plated Steel Key.
2876	5 × 3½	Brass Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2976	5 × 3½	Same as 2876, but with Nickel Plated Steel Key.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 0868½, 0870½, 0871½, 0970½, 0971½, 00670½, 00671½, 00674½, and 00676½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
0868½	5 × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
0870½	5 × 3½	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
0970½	5 × 3½	Same as No. 0870½, but with Tinned Steel Key.
0871½	5 × 3½	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
0971½	5 × 3½	Same as No. 0871½, but with Tinned Steel Key.

ORNAMENTAL IRON BRONZED CASES.

WROUGHT IRON INSIDE WORK.

00670½	5 × 3½	Iron Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
00671½	5 × 3½	Brass Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
00674½	5 × 3½	Iron Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
00676½	5 × 3½	Brass Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 2868½, 2870½, 2871½, 2970½ and 2971½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
2868½	5 × 3½	Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
2870½	5 × 3½	Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
2970½	5 × 3½	Same as No. 2870½, but with Tinned Steel Key.
2871½	5 × 3½	Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
2971½	5 × 3½	Same as No. 2871½, but with Tinned Steel Key.
2874½	5 × 3½	Iron Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2974½	5 × 3½	Same as 2874½, but with Nickel Plated Steel Key.
2876½	5 × 3½	Brass Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2976½	5 × 3½	Same as 2876½, but with Nickel Plated Steel Key. *

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 0869, 0872, 0873, 0972, 0973, 00672, 00673, 00678 and 00680.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
0869	6 × 4	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
0872	6 × 4	Heavy Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
0972	6 × 4	Same as No. 0872, but with Tinned Steel Key.
0873	6 × 4	Heavy Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
0973	6 × 4	Same as No. 0873, but with Tinned Steel Key.

ORNAMENTAL IRON BRONZED CASES.

WROUGHT IRON INSIDE WORK.

00672	6 × 4	Heavy Iron Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
00673	6 × 4	Heavy Brass Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Stop on Latch.
00678	6 × 4	Heavy Iron Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
00680	6 × 4	Heavy Brass Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

Full Size Cut of Nos. 2869, 2872, 2873, 2972 and 2973.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH STOP ON LATCH.

NO.	SIZE.	DESCRIPTION.
2869	6 × 4	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Stop on Latch.
2872	6 × 4	Heavy Iron Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2972	6 × 4	Same as No. 2872, but with Tinned Steel Key.
2873	6 × 4	Heavy Brass Bolts, Brass Key, 1 Tumbler, Stop on Latch.
2973	6 × 4	Same as No. 2873, but with Tinned Steel Key.
2878	6 × 4	Iron Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2978	6 × 4	Same as No. 2878, but with Nickel Plated Steel Key.
2880	6 × 4	Brass Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2980	6 × 4	Same as 2880, but with Nickel Plated Steel Key. * *

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 0869½, 0872½, 0873½, 0972½, 0973½, 00672½, 00673½, 00678½, and 00680½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
0869½	6 × 4	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
0872½	6 × 4	Heavy Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
0972½	6 × 4	Same as No. 0872½, but with Tinned Steel Key.
0873½	6 × 4	Heavy Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
0973½	6 × 4	Same as No. 0873½, but with Tinned Steel Key.

ORNAMENTAL IRON BRONZED CASES.

WROUGHT IRON INSIDE WORK.

00672½	6 × 4	Heavy Iron Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Iron Slide Bolt.
00673½	6 × 4	Heavy Brass Bolts, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes, Brass Slide Bolt.
00678½	6 × 4	Heavy Iron Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Iron Slide Bolt.
00680½	6 × 4	Heavy Brass Bolts, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Brass Slide Bolt.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

Full Size Cut of Nos. 2869½, 2872½, 2873½, 2972½ and 2973½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE HORIZONTAL RIM KNOB LOCKS

PLAIN CASE.

JANUS FACED.

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
2869½	6 × 4	Heavy Iron Bolts, Malleable Iron Key, 1 Tumbler, Iron Slide Bolt.
2872½	6 × 4	Heavy Iron Bolts, Brass Key, 1 Tumbler, Iron Slide Bolt.
2972½	6 × 4	Same as No. 2872½, but with Tinned Steel Key.
2873½	6 × 4	Heavy Brass Bolts, Brass Key, 1 Tumbler, Brass Slide Bolt.
2973½	6 × 4	Same as No. 2873½, but with Tinned Steel Key.
2878½	6 × 4	Iron Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2978½	6 × 4	Same as 2878½, but with Nickel Plated Steel Key.
2880½	6 × 4	Brass Bolts, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 36 Changes, Stop on Latch.
2980½	6 × 4	Same as 2880½, but with Nickel Plated Steel Key. * * *

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 0369 $\frac{3}{4}$, 0370, 0370 $\frac{1}{2}$, 0371, 0371 $\frac{1}{2}$, 0372, 0372 $\frac{1}{2}$, 0373 and 0373 $\frac{1}{2}$.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

Full Size Cut of Nos. 0373 $\frac{3}{4}$, 0374, 0374 $\frac{1}{2}$, 0375, 0375 $\frac{1}{2}$, 0376, 0376 $\frac{1}{2}$, 0377 and 0377 $\frac{1}{2}$.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON RACK TUMBLERS.

NO.	SIZE.	DESCRIPTION.
0369 $\frac{3}{4}$	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Iron Bolt, Malleable Iron Key, 1 Tumbler.
0370	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Iron Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0370 $\frac{1}{2}$	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Same as No. 0370, but with 2 N. P. Flat Steel Keys.
0371	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Iron Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0371 $\frac{1}{2}$	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Same as No. 0371, but with 2 N. P. Flat Steel Keys.
0372	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Brass Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0372 $\frac{1}{2}$	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Same as No. 0372, but with 2 N. P. Flat Steel Keys.
0373	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Brass Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0373 $\frac{1}{2}$	2 $\frac{7}{8}$ × 2 $\frac{1}{8}$	Same as No. 0373, but with 2 N. P. Flat Steel Keys.
<hr/>		
0373 $\frac{3}{4}$	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Iron Bolt, Malleable Iron Key, 1 Tumbler.
0374	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Iron Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0374 $\frac{1}{2}$	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Same as No. 0374, but with 2 N. P. Flat Steel Keys.
0375	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Iron Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0375 $\frac{1}{2}$	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Same as No. 0375, but with 2 N. P. Flat Steel Keys.
0376	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Brass Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0376 $\frac{1}{2}$	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Same as No. 0376, but with 2 N. P. Flat Steel Keys.
0377	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Brass Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0377 $\frac{1}{2}$	3 $\frac{3}{8}$ × 2 $\frac{1}{2}$	Same as No. 0377, but with 2 N. P. Flat Steel Keys.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

STEEL KEYED
HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

-JANUS FACED.

Full Size Cut of Nos.

0377 $\frac{3}{4}$, 0378, 0378 $\frac{1}{2}$, 0379, 0379 $\frac{1}{2}$, 0380, 0380 $\frac{1}{2}$, 0381, 0381 $\frac{1}{2}$, 0382, 0382 $\frac{1}{2}$, 0383 and 0383 $\frac{1}{2}$.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON RACK TUMBLERS.

NO.	SIZE.	DESCRIPTION.
0377 $\frac{3}{4}$	4 × 2 $\frac{3}{4}$	Iron Bolt, Malleable Iron Key, 1 Tumbler.
0378	4 × 2 $\frac{3}{4}$	Iron Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0378 $\frac{1}{2}$	4 × 2 $\frac{3}{4}$	Same as No. 0378, but with 2 N. P. Flat Steel Keys.
0379	4 × 2 $\frac{3}{4}$	Iron Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0379 $\frac{1}{2}$	4 × 2 $\frac{3}{4}$	Same as No. 0379, but with 2 N. P. Flat Steel Keys.
0380	4 × 2 $\frac{3}{4}$	Iron Bolt, Nickel Plated Flat Steel Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
0380 $\frac{1}{2}$	4 × 2 $\frac{3}{4}$	Same as No. 0380, but with 2 N. P. Flat Steel Keys.
0381	4 × 2 $\frac{3}{4}$	Brass Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0381 $\frac{1}{2}$	4 × 2 $\frac{3}{4}$	Same as No. 0381, but with 2 N. P. Flat Steel Keys.
0382	4 × 2 $\frac{3}{4}$	Brass Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0382 $\frac{1}{2}$	4 × 2 $\frac{3}{4}$	Same as No. 0382, but with 2 N. P. Flat Steel Keys.
0383	4 × 2 $\frac{3}{4}$	Brass Bolt, Nickel Plated Flat Steel Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
0383 $\frac{1}{2}$	4 × 2 $\frac{3}{4}$	Same as No. 0383, but with 2 N. P. Flat Steel Keys.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

STEEL KEYED
HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 0383 $\frac{3}{4}$, 0384, 0384 $\frac{1}{2}$, 0385, 0385 $\frac{1}{2}$, 0386, 0386 $\frac{1}{2}$, 0387, 0387 $\frac{1}{2}$, 0388, 0388 $\frac{1}{2}$, 0389 and 0389 $\frac{1}{2}$.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON RACK TUMBLERS.

NO.	SIZE.	DESCRIPTION.
0383 $\frac{3}{4}$	5 × 3 $\frac{1}{4}$	Iron Bolt, Malleable Iron Key, 1 Tumbler.
0384	5 × 3 $\frac{1}{4}$	Iron Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0384 $\frac{1}{2}$	5 × 3 $\frac{1}{4}$	Same as No. 0384, but with 2 N. P. Flat Steel Keys.
0385	5 × 3 $\frac{1}{4}$	Iron Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0385 $\frac{1}{2}$	5 × 3 $\frac{1}{4}$	Same as No. 0385, but with 2 N. P. Flat Steel Keys.
0386	5 × 3 $\frac{1}{4}$	Iron Bolt, Nickel Plated Flat Steel Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
0386 $\frac{1}{2}$	5 × 3 $\frac{1}{4}$	Same as No. 0386, but with 2 N. P. Flat Steel Keys.
0387	5 × 3 $\frac{1}{4}$	Brass Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0387 $\frac{1}{2}$	5 × 3 $\frac{1}{4}$	Same as No. 0387, but with 2 N. P. Flat Steel Keys.
0388	5 × 3 $\frac{1}{4}$	Brass Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0388 $\frac{1}{2}$	5 × 3 $\frac{1}{4}$	Same as No. 0388, but with 2 N. P. Flat Steel Keys.
0389	5 × 3 $\frac{1}{4}$	Brass Bolt, Nickel Plated Flat Steel Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
0389 $\frac{1}{2}$	5 × 3 $\frac{1}{4}$	Same as No. 0389, but with 2 N. P. Flat Steel Keys.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

STEEL KEYED
HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

Full Size Cut of Nos. 0389 $\frac{3}{4}$, 0390, 0390 $\frac{1}{2}$, 0391, 0391 $\frac{1}{2}$, 0392 and 0392 $\frac{1}{2}$.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON RACK TUMBLERS.

NO.	SIZE.	DESCRIPTION.
0389 $\frac{3}{4}$	6 × 4	Iron Bolt, Malleable Iron Key, 1 Tumbler.
0390	6 × 4	Iron Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0390 $\frac{1}{2}$	6 × 4	Same as No. 0390, but with 2 N. P. Flat Steel Keys.
0391	6 × 4	Iron Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0391 $\frac{1}{2}$	6 × 4	Same as No. 0391, but with 2 N. P. Flat Steel Keys.
0392	6 × 4	Iron Bolt, Nickel Plated Flat Steel Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
0392 $\frac{1}{2}$	6 × 4	Same as No. 0392, but with 2 N. P. Flat Steel Keys.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

Full Size Cut of Nos. 0395 $\frac{3}{4}$, 0396, 0396 $\frac{1}{2}$, 0397, 0397 $\frac{1}{2}$, 0398 and 0398 $\frac{1}{2}$.
FOR DESCRIPTION. SEE OPPOSITE PAGE.

STEEL KEYED HORIZONTAL RIM DEAD LOCKS

ORNAMENTAL CASE.

JANUS FACED.

WITH WROUGHT IRON RACK TUMBLERS

NO.	SIZE.	DESCRIPTION.
0395 $\frac{3}{4}$	7 × 4 $\frac{3}{8}$	Iron Bolt, Malleable Iron Key, 1 Tumbler.
0396	7 × 4 $\frac{3}{8}$	Iron Bolt, Nickel Plated Flat Steel Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
0396 $\frac{1}{2}$	7 × 4 $\frac{3}{8}$	Same as No. 0396, but with 2 N. P. Flat Steel Keys.
0397	7 × 4 $\frac{3}{8}$	Iron Bolt, Nickel Plated Flat Steel Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
0397 $\frac{1}{2}$	7 × 4 $\frac{3}{8}$	Same as No. 0397, but with 2 N. P. Flat Steel Keys.
0398	7 × 4 $\frac{3}{8}$	Iron Bolt, Nickel Plated Flat Steel Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
0398 $\frac{1}{2}$	7 × 4 $\frac{3}{8}$	Same as No. 0398, but with 2 N. P. Flat Steel Keys.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

EXTRA SAFE UPRIGHT
STORE DOOR RIM DEAD LOCKS

ORNAMENTAL IRON BRONZED CASE.

JANUS FACED.

Full Size Cut of Nos. 01140, 01145, 01150 and 01155.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

EXTRA SAFE UPRIGHT
STORE DOOR RIM DEAD LOCKS

ORNAMENTAL IRON BRONZED CASE.

JANUS FACED.

WROUGHT IRON RACK TUMBLERS AND FOLDING STEEL KEYS.

FOR NARROW STILE DOORS.

RIGHT OR LEFT HAND.

NO.	SIZE.	DESCRIPTION.
01140	5 × 3	Heavy Iron Bolt, 1 Nickel Plated Folding Steel Key, 1 Tumbler, 12 Changes.
01145	5 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 1 Tumbler, 12 Changes.
01150	5 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 2 Wrought Iron Rack Tumblers, 24 Changes.
01155	5 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 3 Wrought Iron Rack Tumblers, 48 Changes.

Duplicate Keys furnished by sending the number of Lock and number on Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

EXTRA SAFE UPRIGHT
STORE DOOR RIM DEAD LOCKS

Full Size Cut of Nos. 0782, 0783, 0792 and 0793.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

EXTRA SAFE UPRIGHT STORE DOOR RIM DEAD LOCKS

ORNAMENTAL CASE.

WROUGHT IRON RACK TUMBLERS AND FOLDING STEEL KEYS.

FOR NARROW STILE DOORS.

RIGHT OR LEFT HAND.

NO.	SIZE.	DESCRIPTION.
0792	6 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 3 Wrought Iron Rack Tumblers, 50 Changes.
0793	6 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 5 Wrought Iron Rack Tumblers, 500 Changes.

ORNAMENTAL IRON BRONZED CASE.

0782	6 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 3 Wrought Iron Rack Tumblers, 50 Changes.
0783	6 × 3	Heavy Iron Bolt, 2 Nickel Plated Folding Steel Keys, 5 Wrought Iron Rack Tumblers, 500 Changes.

Duplicate Keys furnished by sending the number of Lock and number on Key.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

IMPROVED
HORIZONTAL RIM KNOB LATCHES

WITH SLIDE BOLT.

Full Size Cut of Nos. 203½ and 203¾.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

Full Size Cut of Nos. 0203½ and 0203¾.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

IMPROVED

HORIZONTAL RIM KNOB LATCHES

WITH SLIDE BOLT.

NO.	SIZE.	DESCRIPTION.
203 $\frac{1}{2}$	3 $\frac{5}{8}$ × 2 $\frac{1}{2}$	Iron Bolt, Iron Hub, Iron Slide Bolt, Brass Sunk Thumb Piece.
203 $\frac{3}{4}$	3 $\frac{5}{8}$ × 2 $\frac{1}{2}$	Brass Bolt, Iron Hub, Brass Slide Bolt and Sunk Thumb Piece.

ORNAMENTAL IRON BRONZED CASE.

0203 $\frac{1}{2}$	3 $\frac{5}{8}$ × 2 $\frac{1}{2}$	Iron Bolt, Iron Hub, Iron Slide Bolt, Brass Sunk Thumb Piece.
0203 $\frac{3}{4}$	3 $\frac{5}{8}$ × 2 $\frac{1}{2}$	Brass Bolt, Iron Hub, Brass Slide Bolt and Sunk Thumb Piece.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

IMPROVED HORIZONTAL RIM NIGHT LATCHES

RIGHT OR LEFT HAND.

Full Size Cut of Nos. 246, 247, 248 and 249.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

Full Size Cut of Nos. 0246, 0247, 0248 and 0249.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

IMPROVED HORIZONTAL RIM NIGHT LATCHES

RIGHT OR LEFT HAND.

NO.	SIZE.	DESCRIPTION.
246	$3\frac{5}{8} \times 2\frac{1}{2}$	Iron Bolt, 1 Tumbler, 2 Nickel Plated Brass Keys, Stop on Latch, Brass Drawback Knob.
247	$3\frac{5}{8} \times 2\frac{1}{2}$	Brass Bolt, 1 Tumbler, 2 Nickel Plated Brass Keys, Stop on Latch, Brass Drawback Knob.
248	$3\frac{5}{8} \times 2\frac{1}{2}$	Iron Bolt, 1 Tumbler, 2 Nickel Plated Flat Steel Keys, Stop on Latch, Brass Drawback Knob.
249	$3\frac{5}{8} \times 2\frac{1}{2}$	Brass Bolt, 1 Tumbler, 2 Nickel Plated Flat Steel Keys, Stop on Latch, Brass Drawback Knob.

ORNAMENTAL IRON BRONZED CASE.

0246	$3\frac{5}{8} \times 2\frac{1}{2}$	Iron Bolt, 1 Tumbler, 2 Nickel Plated Brass Keys, Stop on Latch, Brass Drawback Knob.
0247	$3\frac{5}{8} \times 2\frac{1}{2}$	Brass Bolts, 1 Tumbler, 2 Nickel Plated Brass Keys, Stop on Latch, Brass Drawback Knob.
0248	$3\frac{5}{8} \times 2\frac{1}{2}$	Iron Bolt, 1 Tumbler, 2 Nickel Plated Flat Steel Keys, Stop on Latch, Brass Drawback Knob.
0249	$3\frac{5}{8} \times 2\frac{1}{2}$	Brass Bolt, 1 Tumbler, 2 Nickel Plated Flat Steel Keys, Stop on Latch, Brass Drawback Knob.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

LEVER MORTISE KNOB LOCKS

ROUND EDGE.

TO REVERSE THE LATCH, TAKE OFF THE CAP.

Full Size Cut of Nos. 01800 and 01802.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

LEVER MORTISE KNOB LOCKS

ROUND EDGE.

TO REVERSE THE LATCH, TAKE OFF THE CAP.

NO.	SIZE.	DESCRIPTION.
01800	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Malleable Iron Key, 1 Tumbler, 12 Changes.
01802	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Brass Key, 1 Tumbler, 12 Changes.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

IMPROVED REVERSIBLE HOTEL
MASTER KEYED MORTISE KNOB LOCKS

WROUGHT IRON INSIDE WORK.

Full Size Cut of Nos. 760½, 761½, 762½, 763½, 764½, 765½, 766½ and 767½.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

IMPROVED REVERSIBLE HOTEL MASTER KEYED MORTISE KNOB LOCKS

WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.
760½	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Brass Striking Plate, Brass Key, 1 Wrought Iron Rack Tumbler, 50 Changes.
761½	3½ × 3¼	Same as No. 760½, but with 2 Wrought Iron Rack Tumblers.
762½	3½ × 3¼	Lacquered Iron Front, Brass Bolts and Striking Plate, Brass Key, 1 Wrought Iron Rack Tumbler, 50 Changes.
763½	3½ × 3¼	Same as No. 762½, but with 2 Wrought Iron Rack Tumblers.
764½	3½ × 3¼	Heavy Brass Front, Iron Bolts, Brass Striking Plate, Brass Key, 1 Wrought Iron Rack Tumbler, 50 Changes.
765½	3½ × 3¼	Same as No. 764½, but with 2 Wrought Iron Rack Tumblers.
766½	3½ × 3¼	Heavy Brass Front and Bolts, Brass Striking Plate, Brass Key, 1 Wrought Iron Rack Tumbler, 50 Changes.
767½	3½ × 3¼	Same as No. 766½, but with 2 Wrought Iron Rack Tumblers.

We can furnish the above Locks in 6 Sets of 50 each (or less), making in all 300
Changes, with one Steel Bit Master Key to pass each Set of 50.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

Full Size Cut of Nos. 01502, 1502, 1503, 1507, 1508, 1512, 1513, 1517, 1518, 01501, 1501, 1506, 1511 and 1516.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

NO.	SIZE.	DESCRIPTION.
01502	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Malleable Iron Key, 1 Tumbler, 12 Changes.
1502	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1503	3½ × 3¼	Same as No. 1502, but with Tinned Steel Key.
1507	3½ × 3¼	Lacquered Iron Front, Brass Bolts, Wrought Iron Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1508	3½ × 3¼	Same as No. 1507, but with Tinned Steel Key.
1512	3½ × 3¼	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1513	3½ × 3¼	Same as No. 1512, but with Tinned Steel Key.
1517	3½ × 3¼	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1518	3½ × 3¼	Same as No. 1517, but with Tinned Steel Key.

WITH WROUGHT IRON INSIDE WORK.

01501	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Malleable Iron Key, 1 Tumbler, 12 Changes.
1501	3½ × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1506	3½ × 3¼	Lacquered Iron Front, Brass Bolts, Wrought Iron Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1511	3½ × 3¼	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Nickel Plated, Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1516	3½ × 3¼	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

Full Size Cut of Nos.

01522, 1522, 1523, 1527, 1528, 1532, 1533, 1537, 1538, 01521, 1521, 1526, 1531, 1536 and 1541.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

NO.	SIZE.	DESCRIPTION.
01522	4 × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Malleable Iron Key, 1 Tumbler, 12 Changes.
1522	4 × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1523	4 × 3¼	Same as No. 1522, but with Tinned Steel Key.
1527	4 × 3¼	Lacquered Iron Front, Brass Bolts, Wrought Iron Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1528	4 × 3¼	Same as No. 1527, but with Tinned Steel Key.
1532	4 × 3¼	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1533	4 × 3¼	Same as No. 1532, but with Tinned Steel Key.
1537	4 × 3¼	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Brass Key, 1 Tumbler, 12 Changes.
1538	4 × 3¼	Same as No. 1537, but with Tinned Steel Key.

WITH WROUGHT IRON INSIDE WORK.

01521	4 × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Malleable Iron Key, 1 Tumbler, 12 Changes.
1521	4 × 3¼	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1526	4 × 3¼	Lacquered Iron Front, Brass Bolts, Wrought Iron Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1531	4 × 3¼	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1536	4 × 3¼	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1541	4 × 3¼	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 48 Changes.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

Full Size Cut of Nos. 1546, 1551, 1556, 1561, 1566 and 1571.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

WITH WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.
1546	4½ × 3½	Lacquered Iron Front, Iron Bolts, Wrought Iron Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1551	4½ × 3½	Lacquered Iron Front, Brass Bolts, Wrought Iron Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1556	4½ × 2½	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1561	4½ × 3½	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1566	4½ × 3½	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 2 Wrought Iron Rack Tumblers, 48 Changes.
1571	4½ × 3½	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 3 Wrought Iron Rack Tumblers, 72 Changes.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

Full Size Cut of Nos. 1576, 1581, 1586 and 1591.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE LEVER MORTISE KNOB LOCKS

ROUND EDGE.

WITH WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.
1576	5 × 3¾	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1581	5 × 3¾	Heavy Brass Front, Iron Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 3 Wrought Iron Rack Tumblers, 72 Changes.
1586	5 × 3¾	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 1 Wrought Iron Rack Tumbler, 24 Changes.
1591	5 × 3¾	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, Nickel Plated Brass Key, 3 Wrought Iron Rack Tumblers, 72 Changes.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

REVERSIBLE
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 742 and 743.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

REVERSIBLE

VESTIBULE MORTISE NIGHT LATCHES

FOR INSIDE HALL DOORS.

WROUGHT IRON INSIDE WORK.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	SIZE.	DESCRIPTION.
742	$3\frac{3}{4} \times 3\frac{1}{4}$	Brass Front, Bolt and Striking Plate, Electro Plated Thumb Knob and Plate, 1 Wrought Iron Rack Tumbler, 2 Nickel Plated Flat Steel Night Keys. Matches Front Door Locks Nos. 842 and 0187.
743	$3\frac{3}{4} \times 3\frac{1}{4}$	Brass Front, Bolt and Striking Plate, Electro Plated Thumb Knob and Plate, 3 Wrought Iron Rack Tumblers, 2 Nickel Plated Flat Steel Night Keys. Matches Front Door Locks Nos. 843 and 0188.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

IRON BRONZED FRONT REVERSIBLE
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 01742 and 01743.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

IRON BRONZED FRONT REVERSIBLE
VESTIBULE MORTISE NIGHT LATCHES

FOR INSIDE HALL DOORS.

WROUGHT IRON INSIDE WORK.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	SIZE.	DESCRIPTION.
01742	$3\frac{3}{4} \times 3\frac{1}{4}$	Ornamental Iron Bronzed Front, Brass Bolts, Bronzed Iron Striking Plate, Bronzed Iron Thumb Knob and Plate, 1 Wrought Iron Rack Tumbler, 2 Nickel Plated Flat Steel Night Keys. Matches Front Door Locks Nos. 01842 and 01887.
01743	$3\frac{3}{4} \times 3\frac{1}{4}$	Same as No. 01742, but with THREE Wrought Iron Rack Tumblers. Matches Front Door Locks Nos. 01843 and 01888.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

NEW PATTERN
FRONT DOOR LEVER MORTISE KNOB LOCKS

Full Size Cut of Nos. 856, 857 and 858.

FOR DESCRIPTION, SEE PAGE 938.

NEW PATTERN

VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 746, 747 and 749.

FOR DESCRIPTION, SEE PAGE 939.

NEW PATTERN

FRONT DOOR LEVER MORTISE KNOB LOCKS

WITH NIGHT WORK.

WROUGHT IRON INSIDE WORK.

THREE-EIGHTHS INCH SWIVEL SPINDLE.

MADE RIGHT AND LEFT HAND.

WITHOUT STOP ON LATCH.

EASY SPRING.

When ordering, be particular and state which hand is wanted.

NO.	SIZE.	DESCRIPTION.
856	7 × 4	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, 1 Wrought Iron Rack Tumbler on large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys. Matches Vestibule Latch No. 746.
857	7 × 4	Same as No. 856, but with THREE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 747.
858	7 × 4	Same as No. 856, but with FIVE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 748.

WITH STOP ON LATCH.

866	7 × 4	Heavy Brass Front and Bolts, Brass Hub and Striking Plate, 1 Wrought Iron Rack Tumbler on large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys. Matches Vestibule Latch No. 756.
867	7 × 4	Same as No. 866, but with THREE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 757.
868	7 × 4	Same as No. 866, but with FIVE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 758.

The above Locks can be made with $\frac{5}{16}$ inch Swivel Spindles.

FOR ILLUSTRATION, SEE PAGE 936.

NEW PATTERN

VESTIBULE MORTISE NIGHT LATCHES

FOR INSIDE HALL DOORS.

THREE-EIGHTHS INCH SWIVEL SPINDLE.

MADE RIGHT AND LEFT HAND.

WITHOUT STOP ON LATCH.

EASY SPRING.

When ordering, be particular and state which hand is wanted.

NO.	SIZE.	DESCRIPTION.
746	4½ × 4	Heavy Brass Front and Bolt, Brass Hub and Striking Plate, 1 Wrought Iron Rack Tumbler, 2 Nickel Plated Steel Night Keys. Matches Front Door Lock No. 856.
747	4½ × 4	Same as No. 746, but with THREE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 857.
748	4½ × 4	Same as No. 746, but with FIVE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 858.

WITH STOP ON LATCH.

756	4½ × 4	Heavy Brass Front and Bolt, Brass Hub and Striking Plate, 1 Wrought Iron Rack Tumbler, 2 Nickel Plated Steel Night Keys. Matches Front Door Lock No. 866.
757	4½ × 4	Same as No. 756, but with THREE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 867.
758	4½ × 4	Same as No. 756, but with FIVE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 868.

The above Latches can be made with $\frac{5}{16}$ inch Swivel Spindles.

FOR ILLUSTRATION, SEE PAGE 937.

ORIENTAL PATTERN BRONZE FRONT FRONT DOOR LEVER MORTISE KNOB LOCKS

Full Size Cut of Nos. 1356, 1357 and 1358.

FOR DESCRIPTION, SEE PAGE 942.

ORIENTAL PATTERN BRONZE FRONT
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 1246, 1247 and 1248.

FOR DESCRIPTION, SEE PAGE 943.

ORIENTAL PATTERN BRONZE FRONT FRONT DOOR MORTISE KNOB LOCKS

WITH NIGHT WORK.

WROUGHT IRON INSIDE WORK.

THREE-EIGHTHS INCH SWIVEL SPINDLE.

MADE RIGHT AND LEFT HAND.

WITHOUT STOP ON LATCH.

EASY SPRING.

When ordering, be particular and state which hand is wanted.

NO.	SIZE.	DESCRIPTION.
1356	7 × 4	Ornamental Genuine Bronze Front, Bronze Bolts and Striking Plate, Brass Hub, 1 Wrought Iron Rack Tumbler on Large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys. Matches Vestibule Latch No. 1246.
1357	7 × 4	Same as No. 1356, but with THREE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 1247.
1358	7 × 4	Same as No. 1356, but with FIVE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 1248.

WITH STOP ON LATCH.

1366	7 × 4	Ornamental Genuine Bronze Front, Bronze Bolts and Striking Plate, Brass Hub, 1 Wrought Iron Rack Tumbler on Large Key, 1 Wrought Iron Rack Tumbler on Night Key, 2 Nickel Plated Steel Night Keys. Matches Vestibule Latch No. 1256.
1367	7 × 4	Same as No. 1366, but with THREE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 1257.
1368	7 × 4	Same as No. 1366, but with FIVE Wrought Iron Rack Tumblers on Night Key. Matches Vestibule Latch No. 1258.

The above Locks can be made with $\frac{5}{16}$ inch Swivel Spindles.

FOR ILLUSTRATION, SEE PAGE 940.

ORIENTAL PATTERN BRONZE FRONT VESTIBULE MORTISE NIGHT LATCHES

FOR INSIDE HALL DOORS.

THREE-EIGHTHS INCH SWIVEL SPINDLE.

MADE RIGHT AND LEFT HAND.

WITHOUT STOP ON LATCH.

EASY SPRING.

When ordering, be particular and state which hand is wanted.

NO.	SIZE.	DESCRIPTION.
1246	4½ × 4	Ornamental Genuine Bronze Front, Bronze Bolt and Striking Plate, Brass Hub, 1 Wrought Iron Rack Tumbler, 2 Nickel Plated Steel Night Keys. Matches Front Door Lock No. 1356.
1247	4½ × 4	Same as No. 1246, but with THREE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 1357.
1248	4½ × 4	Same as No. 1246, but with FIVE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 1358.

WITH STOP ON LATCH.

1256	4½ × 4	Ornamental Genuine Bronze Front, Bronze Bolt and Striking Plate, Brass Hub, 1 Wrought Iron Rack Tumbler, 2 Nickel Plated Steel Night Keys. Matches Front Door Lock No. 1366.
1257	4½ × 4	Same as No. 1256, but with THREE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 1367.
1258	4½ × 4	Same as No. 1256, but with FIVE Wrought Iron Rack Tumblers. Matches Front Door Lock No. 1368.

The above Latches can be made with $\frac{5}{16}$ inch Swivel Spindles.

FOR ILLUSTRATION, SEE PAGE 941.

FLUSH ESCUTCHEONS

FOR SLIDING DOOR LOCKS.

Full Size Cut of No. 1 $\frac{1}{4}$.

Full Size Cut of No. 2 $\frac{1}{4}$.

FLUSH SLIDING DOOR LOCKS

FOR SINGLE DOORS.

PLAIN FRONT.

Full Size Cut of Nos. 112½, 113½, 114½, 115½,
116½, 117½, 118½ and 119½.

For description see Nos. 112, 113, 114,
115, 116, 117, 118 and 119, on page 90 of
our 1879 Illustrated Catalogue.

FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

PLAIN FRONT.

Full Size Cut of Nos. 124½, 125½, 126½, 127½, 128½,
129½, 130½ and 131½.

For description, see Nos. 124, 125, 126, 127,
128, 129, 130 and 131, on page 94 of our 1879
Illustrated Catalogue.

FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

PLAIN FRONT.

Full Size Cut of Nos. 124½, 125½, 126½, 127½, 128½,
129½, 130½ and 131½.

For description, see Nos. 124, 125, 126, 127,
128, 129, 130 and 131, on page 94 of our 1879
Illustrated Catalogue.

FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

ASTRAGAL FRONT.

Full Size Cut of Nos. 136½, 137½, 138½, 139½,
140½, 141½, 142½ and 143½.

For description, see Nos. 136, 137, 138, 139,
140, 141, 142 and 143, on page 98 of our 1879
Illustrated Catalogue.

All BRONZE METAL Goods manufactured by us are finished regular LIGHT BRONZE, UNLESS OTHERWISE ORDERED. We furnish the same in the following styles of finish: when ordering please state the number of finish wanted.

NO. OF FINISH.

No. 1, ALL LIGHT FINISH.

No. 2, ALL DARK FINISH.

No. 3, STATUARY FINISH (LIGHT SURFACE, BLACK BACKGROUND).

FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

ASTRAGAL FRONT.

Full Size Cut of Nos. 136½, 137½, 138½, 139½, 140½,
141½, 142½ and 143½.

For description, see Nos. 136, 137, 138, 139,
140, 141, 142 and 143, on page 98 of our 1879
Illustrated Catalogue.

ORIENTAL PATTERN
BRONZE FLUSH ESCUTCHEONS

FOR SLIDING DOOR LOCKS.

Full Size Cut of No. 4 1/4.

Full Size Cut of No. 6 1/4.

ORIENTAL PATTERN BRONZE
FRONT FLUSH SLIDING DOOR LOCKS

FOR SINGLE DOORS.

ORNAMENTAL FLAT FRONT.

Full Size Cut of Nos. 1912½ and 1916½.

For description, see Nos. 1912 and 1916,
on page 444 of our 1879 Illustrated Catalogue.

The above are made with Iron Bronzed
Fronts, Nos. 01912½ and 01916½.

ORIENTAL PATTERN BRONZE
FRONT FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

ORNAMENTAL FLAT FRONT.

Full Size Cut of Nos. 1924½ and 1928½.

For description, see Nos. 1924 and 1928, on page 448 of our 1879 Illustrated Catalogue.

The above are made with Iron Bronzed Fronts, Nos. 01924½ and 01928½.

ORIENTAL PATTERN BRONZE
FRONT FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

ORNAMENTAL FLAT FRONT.

Full Size Cut of Nos. 1924½ and 1928½.

For description, see Nos. 1924 and 1928, on page 448 of our 1879 Illustrated Catalogue.

The above are made with Iron Bronzed Fronts, Nos. 01924½ and 01928½.

ORIENTAL PATTERN BRONZE
FRONT FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

ORNAMENTAL ASTRAGAL FRONT.

Full Size Cut of Nos. 1936½ and 1940½.

For description, see Nos. 1936 and 1940,
on page 452 of our 1879 Illustrated Cata-
logue.

The above are made with Iron Bronzed
Front, Nos. 01936½ and 01940½.

ORIENTAL PATTERN BRONZE FRONT FLUSH SLIDING DOOR LOCKS

FOR DOUBLE DOORS.

ORNAMENTAL ASTRAGAL FRONT.

Full Size Cut of Nos. 1936½ and 1940½.

For description, see Nos. 1936 and 1940, on page 452 of our 1879 Illustrated Catalogue.

The above are made with Iron Bronzed Front, Nos. 01936½ and 01940½.

ORIENTAL PATTERN
BRONZE FRONT MORTISE KNOB LATCHES

Full Size Cut of No. 1704.

For description, see page 426 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN
BRONZE FRONT MORTISE THUMB BOLTS

Full Size Cut of No. 1766.

For description, see page 440 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN

BRONZE FRONT MORTISE KNOB LATCHES

WITH THUMB BOLT ATTACHMENT.

Full Size Cut of No. 1717.

For description, see page 431 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
REVERSIBLE LEVER MORTISE KNOB LOCKS

Full Size Cut of No. 1715.

For description, see page 463 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
REVERSIBLE LEVER MORTISE KNOB LOCKS

Full Size Cut of Nos. 1735 and 1740.

For description, see page 465 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
REVERSIBLE LEVER MORTISE KNOB LOCKS

* Full Size Cut of Nos. 1760, 1765 and 1770.

For description, see page 467 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
REVERSIBLE LEVER MORTISE KNOB LOCKS

Full Size Cut of Nos. 1785 and 1790.

For description, see page 469 of our 1879 Illustrated Catalogue.

ORIENTAL² PATTERN BRONZE FRONT
REVERSIBLE LEVER MORTISE KNOB LOCKS

WITH THUMB BOLT ATTACHMENT.

Full Size Cut of Nos. 1786 and 1787.

For description, see page 471 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
REVERSIBLE LEVER MORTISE KNOB LOCKS

Full Size Cut of Nos. 1783 and 1784.

For description, see page 473 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
RABBETED MORTISE KNOB LOCKS

DESIGNED FOR FOLDING DOORS.

Full Size Cut of No. 1769.

For description, see page 461 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE
FRONT SLIDING DOOR MORTISE KNOB LOCKS

FOR SINGLE DOORS.

Full Size Cut of No. 1773.

For description, see page 455 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN ASTRAGAL BRONZE
FRONT SLIDING DOOR MORTISE KNOB LOCKS

FOR DOUBLE DOORS.

Full Size Cut of No. 1775.

For description, see page 457 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT REVERSIBLE
FRONT DOOR MORTISE KNOB LOCKS
WITH THUMB BOLT ATTACHMENT.

Full Size Cut of Nos. 1887 and 1888.

For description, see page 493 of our 1879 Illustrated Catalogue.

(967)

ORIENTAL PATTERN BRONZE FRONT REVERSIBLE FRONT DOOR MORTISE KNOB LOCKS

Full Size Cut of Nos. 1842 and 1843.

For description, see page 483 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT REVERSIBLE
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 1742 and 1743.

For description, see page 25 of our July 1st, 1879 Supplement.

ORIENTAL PATTERN BRONZE FRONT REVERSIBLE FRONT DOOR MORTISE KNOB LOCKS

Full Size Cut of No. 1680½.

For description, see page 486 of our 1879
Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT REVERSIBLE
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of No. 1650½.

For description, see page 487 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT REVERSIBLE FRONT DOOR MORTISE KNOB LOCKS

Full Size Cut of Nos. 1646, 1647 and 1647½.

For description, see page 490 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 1601 and 1602.

For description, see page 491 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT FRONT DOOR MORTISE KNOB LOCKS

Full Size Cut of Nos. 1386, 1387 and 1388.

For description, see page 510 of our 1879
Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 1286, 1287 and 1288.

For description, see page 511 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT RABBETED FRONT DOOR MORTISE KNOB LOCKS

Full Size Cut of Nos. 1648 and 1649.

For description, see page 504 of our 1879
Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT RABBETED
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 1603 and 1604.

For description, see page 505 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT RABBETED FRONT DOOR MORTISE KNOB LOCKS

Full Size Cut of Nos. 1396, 1397 and 1398.

For description, see page 518 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE FRONT RABBETED
VESTIBULE MORTISE NIGHT LATCHES

Full Size Cut of Nos. 1296, 1297 and 1298.

For description, see page 519 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN SOLID BRONZE METAL LOOSE JOINT BUTTS

Full Size Cut of No. 50.

SOLID BRONZE LOOSE JOINT BUTTS, STEEL BUSHED.

Sizes, inches, $2\frac{1}{2} \times 2\frac{1}{2}$, 3×3 , $3\frac{1}{2} \times 3\frac{1}{2}$, 4×4 , $4 \times 4\frac{1}{2}$, 4×5 , $4\frac{1}{2} \times 4\frac{1}{2}$, $4\frac{1}{2} \times 5$,
 “ “ 5×5 , $5 \times 5\frac{1}{2}$, 5×6 , 5×7 , $5\frac{1}{2} \times 5\frac{1}{2}$, 6×6 , 6×7 , 6×8 .
 (980)

All BRONZE METAL Goods manufactured by us are finished regular LIGHT BRONZE, UNLESS OTHERWISE ORDERED. We furnish the same in the following styles of finish: when ordering please state the number of finish wanted.

NO. OF FINISH.

No. 1, ALL LIGHT FINISH.

No. 2, ALL DARK FINISH.

No. 3, STATUARY FINISH (LIGHT SURFACE, BLACK BACKGROUND).

ORIENTAL PATTERN

Size, inches,	$2\frac{1}{2} \times 2\frac{1}{2}$,	3×3 ,	$3\frac{1}{2} \times 3\frac{1}{2}$,	4×4 ,	$4 \times 4\frac{1}{2}$,	4×5 ,	$4\frac{1}{2} \times 4\frac{1}{2}$,	$4\frac{1}{2} \times 5$,
" "	5×5 ,	$5 \times 5\frac{1}{2}$,	5×6 ,	5×7 ,	$5\frac{1}{2} \times 5\frac{1}{2}$,	6×6 ,	6×7 ,	6×8 .

(981)

EGYPTIAN PATTERN SOLID BRONZE METAL LOOSE JOINT BUTTS

Full Size Cut of No. 40.

SOLID BRONZE LOOSE JOINT BUTTS, STEEL BUSHED.

Size, inches,	$2\frac{1}{2} \times 2\frac{1}{2}$,	3×3 ,	$3\frac{1}{2} \times 3\frac{1}{2}$,	4×4 ,	$4 \times 4\frac{1}{2}$,	4×5 ,	$4\frac{1}{2} \times 4\frac{1}{2}$,	$4\frac{1}{2} \times 5$,
"	5×5 ,	$5 \times 5\frac{1}{2}$,	5×6 ,	5×7 ,	$5\frac{1}{2} \times 5\frac{1}{2}$,	6×6 ,	6×7 ,	6×8 .

EGYPTIAN PATTERN SOLID BRONZE METAL LOOSE PIN BUTTS

Full Size Cut of No. 45.

SOLID BRONZE LOOSE PIN BUTTS, STEEL BUSHED.

Size, inches,	$2\frac{1}{2} \times 2\frac{1}{2}$,	3×3 ,	$3\frac{1}{2} \times 3\frac{1}{2}$,	4×4 ,	$4 \times 4\frac{1}{2}$,	4×5 ,	$4\frac{1}{2} \times 4\frac{1}{2}$,	$4\frac{1}{2} \times 5$,
" "	5×5 ,	$5 \times 5\frac{1}{2}$,	5×6 ,	5×7 ,	$5\frac{1}{2} \times 5\frac{1}{2}$,	6×6 ,	6×7 ,	6×8 .

(983)

ORIENTAL PATTERN SOLID
BRONZE METAL EXTENSION FLUSH BOLTS

Full Size Cut of No. 75. With Sunk Thumb Piece.

Sizes, inches, $1\frac{1}{2} \times 8$, 12, 15, 18, 24, 30, 36, 42, 48, 54 and 60 inch.

ORIENTAL PATTERN SOLID
BRONZE METAL EXTENSION FLUSH BOLTS

Full Size Cut of No. 80. With Knob.

Sizes, inches, $1\frac{1}{2} \times 8$, 12, 15, 18, 24, 30, 36, 42, 48, 54 and 60 inch.

ORIENTAL PATTERN SOLID BRONZE METAL

SASH LIFTS, SHUTTER KNOBS, SHUTTER
BARS AND DRAW PULLS

Full Size Cut of No. 90.

Full Size Cut of No. 95.

Full Size Cut of No. 150.

Full Size Cut of No. 120.

Full Size Cut of No. 175.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

ORIENTAL PATTERN SOLID BRONZE METAL

SASH LIFTS, SHUTTER KNOBS, SHUTTER BARS AND DRAW PULLS

HOOK SASH LIFTS.

NO.	SIZE.	DESCRIPTION.
90	Medium.	Bronze Metal.

FLUSH SASH LIFTS.

NO.	SIZE.	DESCRIPTION.
95	3 × 1¾	Bronze Metal.

SHUTTER KNOBS.

NO.	SIZE.	DESCRIPTION.
150	1 inch.	Bronze Metal.

SHUTTER BARS.

REVERSIBLE.

NO.	SIZE.	DESCRIPTION.
120	2 inch.	Bronze Metal.
125	2½ inch.	Bronze Metal.

DRAW PULLS.

NO.	SIZE.	DESCRIPTION.
175	3½ inch.	Bronze Metal.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

BRONZE METAL DOOR KNOBS

WITH ROUND AND ELONGATED ROSES.

Full Size Cut of No. 2336. $2\frac{1}{4}$ inch.

Full Size Cut of No. 2366. $2\frac{1}{2}$ inch.

Full Size Cut of No. 2334. $2\frac{1}{4}$ inch.

Full Size Cut of No. 2364. $2\frac{1}{2}$ inch.

Full Size cut of No. 2344. $2\frac{1}{4}$ inch.

Full Size Cut of No. 2374. $2\frac{1}{2}$ inch.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

BRONZE METAL DOOR KNOBS

WITH ROUND AND ELONGATED BRONZE ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	DIAMETER OF KNOBS.	DESCRIPTION.
2334	2¼ inch, Mortise,	Ganymede Pattern, with ROUND Roses.
4334	2¼ inch, Mortise,	Ganymede Pattern, with ELONGATED Roses.
2364	2½ × 2¼ inch, Mortise,	Ganymede Pattern, with ROUND Roses.
4364	2½ × 2¼ inch, Mortise,	Ganymede Pattern, with ELONGATED Roses.
2336	2¼ inch, Mortise,	Oriental Pattern, with ROUND Roses.
4336	2¼ inch, Mortise,	Oriental Pattern, with ELONGATED Roses.
2366	2½ × 2¼ inch, Mortise,	Oriental Pattern, with ROUND Roses.
4366	2½ × 2¼ inch, Mortise,	Oriental Pattern, with ELONGATED Roses.
2344	2¼ inch, Mortise,	Antique Pattern, with ROUND Roses.
4344	2¼ inch, Mortise,	Antique Pattern, with ELONGATED Roses.
2374	2½ × 2¼ inch, Mortise,	Antique Pattern, with ROUND Roses.
4374	2½ × 2¼ inch, Mortise,	Antique Pattern with ELONGATED Roses.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

Any of the above Knobs can be made with three-eighths inch Swivel Spindles.

If wanted, please specify when ordering.

BRONZE METAL DOOR KNOBS

WITH ROUND ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	DIAMETER OF KNOB.	DESCRIPTION.
2357	$2\frac{1}{2} \times 2\frac{1}{4}$ inch, Mortise,	Raised Pattern (New), with ROUND Roses.

The above Knobs can be made with three-eighths inch Swivel Spindles.
If wanted, please specify when ordering.

For Style of above Knobs, see Cut 2327 on page 652. Illustrated Catalogue of 1879.

PATENT EXTENSION SPINDLE

BRONZE METAL DOOR KNOBS

WITH ROUND ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	DIAMETER OF KNOB.	DESCRIPTION.
2357½	$2\frac{1}{2} \times 2\frac{1}{4}$ inch, Mortise,	Raised Pattern (New), with ROUND Roses.

For Illustration of Patent Extension Spindle Bronze Knobs, see Cut on page 641
Illustrated Catalogue of 1879.

PATENT UNDERCUT
JET DOOR KNOBS

RIM AND MORTISE.

WITH ROUND IRON BRONZED ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

Full Size Cut of No. 02403. $2\frac{1}{4}$ inch.

NO.	DIAMETER OF KNOBS.	DESCRIPTION.
02403	$2\frac{1}{4}$ inch, Mortise,	Jet Knobs, with ROUND Iron Bronzed Roses.
02405	$2\frac{1}{4}$ inch, Rim,	Jet Knobs, with ROUND Iron Bronzed Rose.

Any of the above Knobs can be made with three-eighths inch Swivel Spindles.

If wanted, please specify when ordering.

PATENT UNDERCUT
PORCELAIN DOOR KNOBS

RIM AND MORTISE.

WITH ROUND IRON BRONZED ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

Full Size Cut of No. 02443. $2\frac{1}{4}$ inch.

NO.	DIAMETER OF KNOBS.	DESCRIPTION.
02443	$2\frac{1}{4}$ inch, Mortise,	Porcelain Knobs, with ROUND Iron Bronzed Roses.
02445	$2\frac{1}{4}$ inch, Rim,	Porcelain Knobs, with ROUND Iron Bronzed Rose.

Any of the above Knobs can be made with three-eighths inch Swivel Spindles.

If wanted, please specify when ordering.

PATENT UNDERCUT
JET DOOR KNOBS

RIM AND MORTISE.

WITH PLATED ROUND ROSES, AND WITH BURNISHED BRONZE ROUND ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

Full Size Cut of Nos. 2412 and 2416.

FOR DESCRIPTION SEE PAGE 991.

PATENT UNDERCUT
JET DOOR KNOBS

RIM AND MORTISE.

WITH PLATED ROUND ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	DIAMETER OF KNOBS.	DESCRIPTION.
2411	2¼ inch, Rim,	Jet Knobs, with Electro Plated Necks and Rose.
2412	2¼ inch, Mortise,	Jet Knobs, with Electro Plated Necks and Roses.
2413	2½ × 2¼ inch, Rim,	Jet Knobs, with Electro Plated Necks and Rose.
2414	2½ × 2¼ inch, Mortise,	Jet Knobs, with Electro Plated Necks and Roses.

FOR ILLUSTRATION, SEE PAGE 993.

PATENT UNDERCUT
JET DOOR KNOBS

RIM AND MORTISE.

WITH BURNISHED BRONZE ROUND ROSES.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

NO.	DIAMETER OF KNOBS.	DESCRIPTION.
2415	2¼ inch, Rim,	Jet Knobs, with Burnished Plain Bronze Necks and Rose.
2416	2¼ inch, Mortise,	Jet Knobs, with Burnished Plain Bronze Necks and Roses.
2417	2½ × 2¼ inch, Rim,	Jet Knobs, with Burnished Plain Bronze Necks and Rose.
2418	2½ × 2¼ inch, Mortise,	Jet Knobs, with Burnished Plain Bronze Necks and Roses.

FOR ILLUSTRATION, SEE PAGE 993.

BRONZE METAL BELL PULLS

WITH NARROW FLAT BASES.

Full Size Cut of No. 3336.

Full Size Cut of No. 3344.

Full Size Cut of No. 3334.
FOR DESCRIPTION, SEE PAGE 997.

BRONZE METAL BELL PULLS

WITH WIDE FLAT BASES.

Full Size Cut of No. 3338.

Full Size Cut of No. 3346.

Full Size Cut of No. 3335.
FOR DESCRIPTION, SEE PAGE 997.

BRONZE METAL BELL PULLS

WITH NARROW FLAT BASE.

NO.	DIAMETER OF KNOB.	DESCRIPTION.
3334	2 inch,	Ganymede Pattern Knob, with Flat Base.
3344	2 inch,	Antique Pattern Knob, with Flat Base.
3336	2 inch,	Oriental Pattern Knob, with Flat Base.

FOR ILLUSTRATION, SEE PAGE 995.

BRONZE METAL BELL PULLS

WITH WIDE FLAT BASE.

NO.	DIAMETER OF KNOB.	DESCRIPTION.
3335	2 inch,	Ganymede Pattern Knob, with Flat Base.
3346	2 inch,	Antique Pattern Knob, with Flat Base.
3338	2 inch,	Oriental Pattern Knob, with Flat Base.

FOR ILLUSTRATION, SEE PAGE 996.

ORIENTAL PATTERN BRONZE METAL ROSE AND ESCUTCHEON COMBINED

Full Size Cut of No. 2636.

Full Size Cut of No. 2634.
FOR DESCRIPTION, SEE OPPOSITE PAGE.

ORIENTAL PATTERN BRONZE METAL ELONGATED ROSE AND ESCUTCHEONS COMBINED

*The following Escutcheons are the same in Design as Nos. 2634
and 2636, as Illustrated on opposite page.*

NO.	SIZE OF KEY-HOLES.	DESCRIPTION.
2634	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1356, 1357, 1358, 1366, 1367 and 1368.
2636	$\frac{5}{8}$ inch,	For Latches Nos. 1246, 1247, 1248, 1256, 1257 and 1258.
2638	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1386, 1387, 1388, 1396, 1397 and 1398.
2640	$\frac{5}{8}$ inch,	For Latches Nos. 1286, 1287, 1288, 1296, 1297 and 1298.
2642	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1646, 1647 and 1647½.
2644	$\frac{5}{8}$ inch,	For Latches Nos. 1601 and 1602.
2646	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1648 and 1649.
2648	$\frac{5}{8}$ inch,	For Latches Nos. 1603 and 1604.
2650	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks No. 1680½.
2652	$\frac{5}{8}$ inch,	For Latches No. 1650½.
2654	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1842 and 1843.
2656	$\frac{5}{8}$ inch,	For Latches Nos. 1742 and 1743.
2658	$\frac{5}{8}$ inch,	For Locks Nos. 1887 and 1888.
2660	$\frac{7}{8}$ inch,	For Locks No. 1715.
2662	$\frac{7}{8}$ inch,	For Locks Nos. 1735 and 1740.
2664	$\frac{7}{8}$ inch,	For Locks Nos. 1760, 1765 and 1770.
2666	$\frac{7}{8}$ inch,	For Locks Nos. 1785 and 1790.
2668	$\frac{7}{8}$ inch,	For Locks Nos. 1786 and 1787.
2670	$\frac{7}{8}$ inch,	For Locks Nos. 1783 and 1784.
2672	$\frac{7}{8}$ inch,	For Locks No. 1769.
2674	$\frac{7}{8}$ inch,	For Locks No. 1773.
2676	$\frac{7}{8}$ inch,	For Locks No. 1775.

FOR ILLUSTRATION OF ABOVE, SEE CUTS ON OPPOSITE PAGE.

2632	$\frac{5}{8}$ inch, Bronze,	For Locks Nos. 1742 and 1743. See Cut on page 678 of our 1879 Illustrated Catalogue.
02632	$\frac{5}{8}$ inch, Iron Bronzed,	For Latches Nos. 01742 and 01743. See Cut on page 718 of our 1879 Illustrated Catalogue.

ORIENTAL PATTERN BRONZE METAL PLATE AND DROP ESCUTCHEONS

Full Size Cut of No. 2575.

Full Size Cut of No. 2551.

Full Size Cut of No. 2519.

Full Size Cut of No. 2565.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

(1000)

ORIENTAL PATTERN

BRONZE METAL DROP ESCUTCHEONS

DOUBLE KEY-HOLE.

FOR FRONT DOOR MORTISE LOCKS.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
2575	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1356, 1357, 1358, 1366, 1367 and 1368.
2580	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1842 and 1843.
2585	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	For Locks Nos. 1386, 1387, 1388, 1396, 1397, 1398, 1646, 1647, 1647 $\frac{1}{2}$, 1648, 1649 and 1680 $\frac{1}{2}$.

All of the above are of the same design as No. 2575.

SINGLE KEY-HOLE.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
2551	$\frac{7}{8}$ inch,	For inside of Front Door Mortise Locks Nos. 1356, 1357, 1358, 1366, 1367 and 1368.

ORIENTAL PATTERN

BRONZE METAL PLATE ESCUTCHEONS

SINGLE KEY-HOLE.

FOR VESTIBULE LATCHES.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
2565	$\frac{5}{8}$ inch,	For Latches Nos. 1246, 1247, 1248, 1256, 1257 and 1258.
2519	$\frac{5}{8}$ inch,	For inside of Front Door Mortise Locks Nos. 1356, 1357, 1358, 1366, 1367 and 1368.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

ORIENTAL PATTERN

BRONZE METAL PLATE ESCUTCHEONS

Full Size Cut of No. 2541.

Full Size Cut of No. 2542.

Full Size Cut of No. 2543.

Full Size Cut of No. 2544.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

ORIENTAL PATTERN

BRONZE METAL PLATE ESCUTCHEONS

2541 $\frac{7}{8}$ inch, For Rim or Mortise Locks, wide Bit. Matches Oriental Pattern
 Knobs.

2542 $\frac{7}{8}$ inch, For Rim or Mortise Locks, narrow Bit. Matches Oriental Pattern
Knobs.

2543 7/8 inch, For Rim or Mortise Looks, wide Bit. Matches Oriental Pattern
Knobs.

2544 $\frac{7}{8}$ inch, For Rim or Mortise Locks, narrow Bit. Matches Oriental Pattern
Knobs.

FOR ILLUSTRATIONS, SEE OPPOSITE PAGE.

ORIENTAL PATTERN

BRONZE METAL DROP ESCUTCHEONS

Full Size Cut of No. 2545.

Full Size Cut of No. 2546.

Full Size Cut of No. 2547.

Full Size Cut of No. 2548.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

ORIENTAL PATTERN

BRONZE METAL DROP ESCUTCHEONS

SINGLE KEY-HOLE.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
2545	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, wide Bit. Matches Oriental Pattern Knobs.
2546	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, narrow Bit. Matches Oriental Pattern Knobs.
2547	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, wide Bit. Matches Oriental Pattern Knobs.
2548	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, narrow Bit. Matches Oriental Pattern Knobs.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

GANYMEDE PATTERN

BRONZE METAL PLATE ESCUTCHEONS

Full Size cut of No. 2527.

Full Size Cut of No. 2528.

GANYMEDE PATTERN

BRONZE METAL DROP ESCUTCHEONS

Full Size Cut of No. 2531.

Full Size Cut of No. 2532.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

GANYMEDE PATTERN

BRONZE METAL DROP ESCUTCHEONS

SINGLE KEY-HOLE.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
2531	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, narrow Bit Matches Ganymede Pattern Knobs.
2532	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, wide Bit. Matches Ganymede Pattern Knobs.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

GANYMEDE PATTERN

BRONZE METAL PLATE ESCUTCHEONS

SINGLE KEY-HOLE.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
2527	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, narrow Bit. Matches Ganymede Pattern Knobs.
2528	$\frac{7}{8}$ inch,	For Rim or Mortise Locks, wide Bit. Matches Ganymede Pattern Knobs.

FOR ILLUSTRATION, SEE OPPOSITE PAGE.

ORIENTAL PATTERN

BRONZE METAL FLUSH PULL ESCUTCHEONS

FOR NARROW STILE SLIDING DOORS.

Full Size Cut of No. 4 $\frac{3}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

Full Size Cut of No. 6 $\frac{3}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

ORIENTAL PATTERN

IRON BRONZED FLUSH PULL ESCUTCHEONS

FOR NARROW STILE SLIDING DOORS.

Full Size Cut of No. 04 $\frac{3}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

Full Size Cut of No. 06 $\frac{3}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

ORIENTAL PATTERN

IRON BRONZED FLUSH PULL ESCUTCHEONS

FOR SLIDING DOOR LOCKS.

Full Size Cut of No. 04 $\frac{1}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

Full Size Cut of No. 06 $\frac{1}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

BRASS FLUSH PULL ESCUTCHEONS

FOR NARROW STILE SLIDING DOORS.

Full Size Cut of No. 1 $\frac{3}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

Full Size Cut of No. 2 $\frac{3}{4}$.

$\frac{7}{8}$ inch Key-Hole for
Flush Sliding Door Locks.

PLATED PLATE AND DROP ESCUTCHEONS

FOR FRONT DOOR MORTISE LOCKS.

Full Size Cut of No. 087.

Full Size Cut of No. 088.

Full Size Cut of No. 047.

Full Size Cut of No. 049.

FOR DESCRIPTION, SEE OPPOSITE PAGE.

PLATED DROP ESCUTCHEONS

DOUBLE KEY-HOLE.

FOR FRONT DOOR MORTISE LOCKS.

NO.	LENGTH OF KEY-HOLES.	DESCRIPTION.
087	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	Electro Plated, Flat Drop, Double Key-hole, for Outside of Front Door Mortise Locks Nos. 856, 857, 858, 866, 867 and 868.

SINGLE KEY-HOLE.

088	$\frac{7}{8}$ inch,	Electro Plated Drop, for Inside of Front Door Locks Nos. 856, 857, 858, 866, 867 and 868.
-----	---------------------	---

PLATED PLATE ESCUTCHEONS

SINGLE KEY-HOLE.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
046	$\frac{7}{8}$ inch,	Electro Plated Plate, for Inside of Front Door Mortise Locks Nos. 842 and 843.
047	$\frac{7}{8}$ inch,	Electro Plated Plate, for Inside of Front Door Mortise Locks Nos. 856, 857, 858, 866, 867 and 868.

FOR VESTIBULE LATCHES.

048	$\frac{5}{8}$ inch,	Electro Plated Plate, for Vestibule Latches Nos. 742 and 743.
049	$\frac{5}{8}$ inch,	Electro Plated Plate, for Vestibule Latches Nos. 746, 747, 748, 756, 757 and 758.

PORCELAIN DROP ESCUTCHEONS

DOUBLE KEY-HOLE.

FOR FRONT DOOR MORTISE LOCKS.

NO.	LENGTH OF KEY-HOLES.	DESCRIPTION.
186	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	Porcelain Drop, Double Key-hole, for Front Door Mortise Locks Nos. 842 and 843.
187	$\frac{5}{8}$ and $\frac{7}{8}$ inch,	Porcelain Drop, Double Key-hole, for Front Door Mortise Locks Nos. 856, 857, 858, 866, 867 and 868.

PORCELAIN PLATE ESCUTCHEONS

SINGLE KEY-HOLE.

NO.	LENGTH OF KEY-HOLE.	DESCRIPTION.
106	$\frac{7}{8}$ inch,	Porcelain Plate, for Inside of Front Door Locks Nos. 842 and 843.
107	$\frac{7}{8}$ inch,	Porcelain Plate, for Inside of Front Door Mortise Locks Nos. 856, 857, 858, 866, 867 and 868.

FOR VESTIBULE LATCHES.

108	$\frac{5}{8}$ inch,	Porcelain Plate, for Vestibule Latches Nos. 742 and 743.
109	$\frac{5}{8}$ inch,	Porcelain Plate, for Vestibule Latches Nos. 746, 747, 748, 756, 757 and 758.

PORCELAIN DROP ESCUTCHEONS

DOUBLE KEY-HOLE.

FOR FRONT DOOR RIM LOCKS.

NO.	LENGTH OF KEY-HOLES.	DESCRIPTION.
188	$\frac{5}{8}$ and 1 inch,	Porcelain Drop, for Locks Nos. 3636, 3637, 3646, 3647 and 3648

JAPANNED DROP ESCUTCHEONS

DOUBLE KEY-HOLE.

FOR FRONT DOOR RIM LOCKS.

NO.	LENGTH OF KEY-HOLES.	DESCRIPTION.
56	$\frac{5}{8}$ and 1 inch,	Japanned Drop, for Locks Nos. 3636, 3637, 3646, 3647 and 3648.

ORIENTAL PATTERN

BRONZE METAL THUMB KNOBS AND PLATES

Full Size Cut of No. 36.

$\frac{3}{16}$ inch Spindle.

Full Size Cut of No. 37.

$\frac{1}{4}$ inch Spindle.

Full Size Cut of No. 38.

$\frac{3}{16}$ inch Spindle.

Full Size Cut of No. 39.

$\frac{1}{4}$ inch Spindle.

Full Size Cut of No. 40.

$\frac{3}{16}$ inch Spindle.

Full Size Cut of No. 41.

$\frac{1}{4}$ inch Spindle.

NEW FOLDING STEEL KEYS

*All our Folding Steel Keyed Locks are now made with
Keys as represented in above Cuts.*

NEW FOLDING STEEL KEY BLANKS

RIM.

CLASS.

- 338** For Locks Nos. 0782, 0783, 0792, 0793.
- 288** For Locks Nos. 1140, 01140, 1145, 01145, 1150, 01150, 1155, 01155.
- 289** For Locks Nos. 0335, 0336, 0337, 0338, 0435, 0436, 0437, 0438.
- 290** For Locks Nos. 1110, 1115, 1120, 1125, 1130, 1135.
- 292** For Locks Nos. 0339, 0340, 0341, 0342, 0439, 0440, 0341, 0442.
- 293** For Locks Nos. 0328, 0329, 0330.
- 294** For Locks Nos. 0332, 0333, 0334.

FLAT STEEL KEYS, CUT OR BLANK

RIM.

CLASS.

- 324** For Locks Nos. 2630, 2630½, 2631, 2631½, 2632, 2632½, 2633, 2633½, 2638, 2638½, 2639, 2639½, 2730, 2730½, 2732, 2732½, 2733, 2733½, 2738, 2738½, 3730, 3730½, 3732, 3732½, 3733, 3733½, 3738, 3738½, 4630, 4630½, 4631, 4631½, 4632, 4632½, 4633, 4633½, 4638, 4638½, 4639, 4639½.

FLAT STEEL KEYS, CUT OR BLANK

RIM.

CLASS.

- 328** For Locks Nos. 3628, 3628½, 3629, 3629½, 3634, 3634½, 3635, 3635½, 3636, 3637, 3638, 3638½, 3639, 3639½, 3646, 3647, 3648, 0390, 0390½, 0391, 0391½, 0392, 0392½, 0396, 0396½, 0397, 0397½, 0398, 0398½.
- 312½** For Locks Nos. 0378, 0378½, 0379, 0379½, 0380, 0380½, 0381, 0381½, 0382, 0382½, 0383, 0383½, 0384, 0384½, 0385, 0385½, 0386, 0386½, 0387, 0387½, 0388, 0388½, 0389, 0389½, 00663, 00663½, 00664, 00664½, 00666, 00666½, 00667, 00667½.
- 311** For Locks Nos. 0370, 0370½, 0371, 0371½, 0372, 0372½, 0373, 0373½, 0374, 0374½, 0375, 0375½, 0376, 0376½, 0377, 0377½.
- 313** For Locks Nos. 3640, 3641, 3642, 3643.
- 314** For Locks Nos. 1625, 1625½, 1626, 1626½, 1630, 1630½, 1632, 1632½, 1633, 1633½, 3625, 3625½, 3626, 3626½, 3630, 3630½, 3632, 3632½, 3633, 3633½, 00670, 00670½, 00671, 00671½, 00672, 00672½, 00673, 00673½, 00674, 00674½, 00676, 00676½, 00678, 00678½, 00680, 00680½.
- 315** For Locks Nos. 248, 249, 0248, 0249.
-

FLAT STEEL KEYS, CUT OR BLANK

MORTISE.

CLASS.

- 342** For Locks Nos. 856, 857, 858, 866, 867, 868, 1356, 1357, 1358, 1366, 1367, 1368.
-

FLAT STEEL NIGHT KEYS, CUT OR BLANK

MORTISE.

CLASS.

- 340** For Locks Nos. 746, 747, 748, 756, 757, 758, 856, 857, 858, 866, 867, 868, 1246, 1247, 1248, 1256, 1257, 1258, 1356, 1357, 1358, 1366, 1367, 1368.
- 250** For Locks Nos. 742, 743, 1742, 01742, 1743, 01743.

FLAT STEEL NIGHT KEYS, CUT OR BLANK

RIM.

CLASS.

336 For Locks Nos. 3636, 3637, 3646, 3647, 3648.

337 For Locks Nos. 3640, 3641, 3642, 3643.

FLAT TINNED STEEL KEYS, CUT OR BLANK

RIM.

CLASS.

316 For Locks Nos. 1941, 1941 $\frac{1}{4}$, 1941 $\frac{1}{2}$, 1942, 1942 $\frac{1}{4}$, 1942 $\frac{1}{2}$, 1985, 1985 $\frac{1}{4}$, 1985 $\frac{1}{2}$, 1986, 1986 $\frac{1}{4}$, 1986 $\frac{1}{2}$, 2985, 2985 $\frac{1}{4}$, 2985 $\frac{1}{2}$, 2986, 2986 $\frac{1}{4}$, 2986 $\frac{1}{2}$, 2941, 2941 $\frac{1}{4}$, 2941 $\frac{1}{2}$, 2942, 2942 $\frac{1}{4}$, 2942 $\frac{1}{2}$.

318 For Locks Nos. 0966, 0966 $\frac{1}{2}$, 0967, 0967 $\frac{1}{2}$, 2966, 2966 $\frac{1}{2}$, 2967, 2967 $\frac{1}{2}$.

320 For Locks Nos. 0970, 0970 $\frac{1}{2}$, 0971, 0971 $\frac{1}{2}$, 0972, 0972 $\frac{1}{2}$, 0973, 0973 $\frac{1}{2}$, 2970, 2970 $\frac{1}{2}$, 2971, 2971 $\frac{1}{2}$, 2972, 2972 $\frac{1}{2}$, 2973, 2973 $\frac{1}{2}$.

FLAT TINNED STEEL KEYS, CUT OR BLANK

MORTISE.

CLASS.

322 For Locks Nos. 1503, 1508, 1513, 1518, 1523, 1528, 1533, 1538.

BRASS DOOR KEYS, CUT OR BLANK

RIM.

CLASS.

428 For Locks Nos. 982, 984.

430 For Locks Nos. 963, 963 $\frac{1}{4}$, 1466, 1931, 1931 $\frac{1}{4}$, 1931 $\frac{1}{2}$, 1932 $\frac{1}{4}$, 1933, 1933 $\frac{1}{2}$, 1995, 1995 $\frac{1}{4}$, 1995 $\frac{1}{2}$, 1996, 1996 $\frac{1}{4}$, 1996 $\frac{1}{2}$, 2995, 2995 $\frac{1}{4}$, 2995 $\frac{1}{2}$, 2996, 2996 $\frac{1}{4}$, 2996 $\frac{1}{2}$, 2931, 2931 $\frac{1}{4}$, 2931 $\frac{1}{2}$, 2932 $\frac{1}{4}$, 2933, 2933 $\frac{1}{2}$.

BRASS DOOR KEYS, CUT OR BLANK

RIM.

CLASS.

- 431** For Locks Nos. 2630, 2630½, 2631, 2631½, 2632, 2632½, 2633, 2633½, 2638, 2638½, 2639, 2639½, 2730, 2730½, 2732, 2732½, 2733, 2733½, 2738, 2738½, 3730, 3730½, 3732, 3732½, 3733, 3733½, 3738, 3738½, 4630, 4630½, 4631, 4631½, 4632, 4632½, 4633, 4633½, 4638, 4638½, 4639, 4639½. Brass Keys.
- 434** For Locks Nos. 0866, 0866½, 0867, 0867½, 2866, 2866½, 2867, 2867½.
- 436** For Locks Nos. 0870, 0870½, 0871, 0871½, 0872, 0872½, 0873, 0873½, 2870, 2870½, 2871, 2871½, 2872, 2872½, 2873, 2873½.
- 437** For Locks Nos. 246, 247, 0246, 0247.
- 439** For Locks Nos. 1625, 1625½, 1626, 1626½, 1630, 1630½, 1632, 1632½, 1633, 1633, 3625, 3625½, 3626, 3626½, 3630, 3630½, 3632, 3632½, 3633, 3633½. Brass Keys.
-

BRASS DOOR KEYS, CUT OR BLANK

MORTISE.

CLASS.

- 248** For Locks Nos. 112½, 113½, 114½, 115½, 116½, 117½, 118½, 119½, 124½, 125½, 126½, 127½, 128½, 129½, 130½, 131½, 136½, 137½, 138½, 139½, 140½, 141½, 142½, 143½, 1912½, 01912½, 1916½, 01916½, 1924½, 01924½, 1928½, 01928½, 1936½, 01936½, 1940½, 01940½.
- 254** For Locks Nos. 1501, 1502, 1506, 1507, 1511, 1512, 1516, 1517, 1521, 1522, 1526, 1527, 1531, 1532, 1536, 1537, 1541, 1546, 1551, 1556, 1561, 1566, 1571, 01802.
- 257** For Locks Nos. 1576, 1581, 1586, 1591.
- 258** For Locks Nos. 760½, 761½, 762½, 763½, 764½, 765½, 766½, 767½.
-

BRASS MASTER KEYS

MORTISE—STEEL BIT.

CLASS.

- 259** For Locks Nos. 760½, 761½, 762½, 763½, 764½, 765½, 766½, 767½.

MALLEABLE IRON KEYS

RIM AND MORTISE.

CLASS.

- 518** For Locks Nos. 980, 0369 $\frac{3}{4}$, 0373 $\frac{3}{4}$.
- 520** For Locks Nos. 962, 962 $\frac{1}{4}$, 1465, 1990, 1990 $\frac{1}{4}$, 1990 $\frac{1}{2}$, 1930, 1930 $\frac{1}{4}$, 1930 $\frac{1}{2}$, 2990, 2990 $\frac{1}{4}$, 2990 $\frac{1}{2}$, 2930, 2930 $\frac{1}{4}$, 2930 $\frac{1}{2}$.
- 522** For Locks Nos. 0377 $\frac{3}{4}$, 0383 $\frac{3}{4}$, 0865, 0865 $\frac{1}{2}$, 2865, 2865 $\frac{1}{2}$.
- 524** For Locks Nos. 0868, 0868 $\frac{1}{2}$, 0869, 0869 $\frac{1}{2}$, 2868, 2868 $\frac{1}{2}$, 2869, 2869 $\frac{1}{2}$, 1624, 1624 $\frac{1}{2}$, 3624, 3624 $\frac{1}{2}$.
- 526** For Locks Nos. 3627, 3627 $\frac{1}{2}$.
- 527** For Locks Nos. 0389 $\frac{3}{4}$, 0395 $\frac{3}{4}$.
- 528** For Locks Nos. 01502, 01522, 01800.
- 529** For Locks Nos. 01501, 01521.

LOCK AND LATCH STRIKERS

RIM.

CLASS.

- 740** For Locks Nos. 2985, 2985¼, 2985½, 2986, 2986¼, 2986½, 2990, 2990¼, 2990½, 2995, 2995¼, 2995½, 2996, 2996¼, 2996½, 3730, 3730½, 3732, 3732½, 3733, 3733½, 3738, 3738½.
- 742** For Locks Nos. 2865, 2865½, 2866, 2866½, 2867, 2867½, 2966, 2966½, 2967, 2967½.
- 746** For Locks Nos. 2930, 2930¼, 2930½, 2931, 2931¼, 2931½, 2932¼, 2933, 2933½, 2941, 2941¼, 2941½, 2942, 2942¼, 2942½, 4630, 4630½, 4631, 4631½, 4632, 4632½, 4633, 4633½, 4638, 4638½, 4639, 4639½.
- 748** For Locks Nos. 3624, 3624½, 3625, 3625½, 3626, 3626½, 3630, 3630½, 3632, 3632½, 3633, 3633½.
- 812** For Locks Nos. 0865, 0865½, 0866, 0866½, 0867, 0867½, 0966, 0966½, 0967, 0967½.
- 814** For Locks Nos. 0868, 0868½, 0870, 0870½, 0871, 0871½, 0970, 0970½, 0971, 0971½.
- 816** For Locks Nos. 0869, 0869½, 0872, 0872½, 0873, 0873½, 0972, 0972½, 0973, 0973½.
- 828** For Locks Nos. 980, 982, 984.
- 830** For Locks Nos. 2868, 2868½, 2870, 2870½, 2871, 2871½, 2970, 2970½, 2971, 2971½.
- 832** For Locks Nos. 203½, 203¾, 246, 247, 248, 249.
- 834** For Locks Nos. 0369¾, 0370, 0370½, 0371, 0371½, 0372, 0372½, 0373, 0373½.
- 836** For Locks Nos. 2869, 2869½, 2872, 2872½, 2873, 2873½, 2972, 2972½, 2973, 2973½.
- 838** For Locks Nos. 0373¾, 0374, 0374½, 0375, 0375½, 0376, 0376½, 0377, 0377½.
- 840** For Locks Nos. 0377¾, 0378, 0378½, 0379, 0379½, 0380, 0380½, 0381, 0381½, 0382, 0382½, 0383, 0383½.
- 842** For Locks Nos. 0383¾, 0384, 0384½, 0385, 0385½, 0386, 0386½, 0387, 0387½, 0388, 0388½, 0389, 0389½.
- 844** For Locks Nos. 3627, 3627½, 3628, 3628½, 3629, 3629½, 3634, 3634½, 3635, 3635½, 3636, 3637, 3638, 3638½, 3639, 3639½, 3646, 3647, 3648.
- 846** For Locks Nos. 3640, 3641, 3642, 3643.
- 848** For Locks Nos. 0792, 0793.
- 850** For Locks Nos. 0389¾, 0390, 0390½, 0391, 0391½, 0392, 0392½.
- 852** For Locks Nos. 0395¾, 0396, 0396½, 0397, 0397½, 0398, 0398½.

LOCK AND LATCH STRIKERS

RIM.

CLASS.

- 854** For Locks Nos. 1985, 1985 $\frac{1}{4}$, 1985 $\frac{1}{2}$, 1986, 1986 $\frac{1}{4}$, 1986 $\frac{1}{2}$, 1990, 1990 $\frac{1}{4}$, 1990 $\frac{1}{2}$, 1995, 1995 $\frac{1}{4}$, 1995 $\frac{1}{2}$, 1996, 1996 $\frac{1}{4}$, 1996 $\frac{1}{2}$, 2730, 2730 $\frac{1}{2}$, 2732, 2732 $\frac{1}{2}$, 2733, 2733 $\frac{1}{2}$, 2738, 2738 $\frac{1}{2}$.
- 856** For Locks Nos. 1930, 1930 $\frac{1}{4}$, 1930 $\frac{1}{2}$, 1931, 1931 $\frac{1}{4}$, 1931 $\frac{1}{2}$, 1932 $\frac{1}{4}$, 1933, 1933 $\frac{1}{2}$, 1941, 1941 $\frac{1}{4}$, 1941 $\frac{1}{2}$, 1942, 1942 $\frac{1}{4}$, 1942 $\frac{1}{2}$, 2630, 2630 $\frac{1}{2}$, 2631, 2631 $\frac{1}{2}$, 2632, 2632 $\frac{1}{2}$, 2633, 2633 $\frac{1}{2}$, 2638, 2638 $\frac{1}{2}$, 2639, 2639 $\frac{1}{2}$.
- 860** For Locks Nos. 1624, 1624 $\frac{1}{2}$, 1625, 1625 $\frac{1}{2}$, 1626, 1626 $\frac{1}{2}$, 1630, 1630 $\frac{1}{2}$, 1632, 1632 $\frac{1}{2}$, 1633, 1633 $\frac{1}{2}$.
-

ORNAMENTAL IRON BRONZED STRIKERS

RIM.

CLASS.

- 862** For Locks Nos. 00663, 00663 $\frac{1}{2}$, 00664, 00664 $\frac{1}{2}$, 00666, 00666 $\frac{1}{2}$, 00667, 00667 $\frac{1}{2}$.
- 864** For Locks Nos. 00670, 00670 $\frac{1}{2}$, 00671, 00671 $\frac{1}{2}$, 00674, 00674 $\frac{1}{2}$, 00676, 00676 $\frac{1}{2}$.
- 866** For Locks Nos. 00672, 00672 $\frac{1}{2}$, 00673, 00673 $\frac{1}{2}$, 00678, 00678 $\frac{1}{2}$, 00680, 00680 $\frac{1}{2}$.
- 870** For Locks Nos. 01140, 01145, 01150, 01155.
- 872** For Locks Nos. 0203 $\frac{1}{2}$, 0203 $\frac{3}{4}$, 0246, 0247, 0248, 0249.
- 874** For Locks Nos. 0782, 0783.
- 876** For Locks Nos. 01742, 01743.
-

WROUGHT IRON STRIKING PLATES

MORTISE.

CLASS.

- 1022** For Locks Nos. 1546, 1551.
- 1024** For Locks Nos. 1501, 01501, 1502, 01502, 1503, 1506, 1507, 1508, 1521, 01521, 1522, 01522, 1523, 1526, 1527, 1528, 01800, 01802.

BRASS STRIKING PLATES

MORTISE.

CLASS.

- 1043** For Locks Nos. 746, 747, 748, 756, 757, 758.
2007 For Locks Nos. 856, 857, 858, 866, 867, 868.
2012 For Locks Nos. 112½, 113½, 114½, 115½, 116½, 117½, 118½, 119½.
1035 For Locks Nos. 87, 87½, 88, 88½, 89, 89½.
1050 For Locks Nos. 1511, 1512, 1513, 1516, 1517, 1518.
1056 For Locks Nos. 1531, 1532, 1533, 1536, 1537, 1538, 1541.
1058 For Locks Nos. 1556, 1561, 1566, 1571.
1060 For Locks Nos. 1576, 1581, 1586, 1591.
1052 For Locks Nos. 760½, 761½, 762½, 763½, 764½, 765½, 766½, 767½.
1045 For Locks Nos. 742, 743.

ORIENTAL

GENUINE BRONZE STRIKING PLATES

MORTISE.

CLASS.

- 3001** For Locks No. 1704.
3003 For Locks No. 1717.
3005 For Locks No. 1766.
3007 For Locks No. 1773.
3009 For Locks No. 1775.
3011 For Locks No. 1769.
3013 For Locks No. 1715.
3015 For Locks Nos. 1735, 1740.
3017 For Locks Nos. 1760, 1765, 1770.
3019 For Locks Nos. 1785, 1790.
3021 For Locks Nos. 1786, 1787.
3023 For Locks Nos. 1783, 1784.
3025 For Locks Nos. 1742, 1743.
3027 For Locks Nos. 1842, 1843, 1887, 1888.
3029 For Locks Nos. 1650½, 1601, 1602, 1286, 1287, 1288.
3031 For Locks Nos. 1646, 1647, 1647½.
3033 For Locks Nos. 1386, 1387, 1388.
3035 For Locks No. 1680½.
3037 For Locks Nos. 1648, 1649, 1396, 1397, 1398.
3039 For Locks Nos. 1356, 1357, 1358, 1366, 1367, 1368.
3041 For Locks Nos. 1246, 1247, 1248, 1256, 1257, 1258.
3043 For Locks Nos. 1603, 1604, 1296, 1297, 1298.
3445 For Locks Nos. 1912½, 1916½.

ORNAMENTAL

IRON BRONZED STRIKING PLATES

MORTISE.

CLASS.

- 4001** For Locks Nos. 01912½, 01916½.

(1024)

DSI